

Metal degreaser cleaner MC-DE5100B

FEATURE

- Contain biodegradable surfactant
- Can remove the oil, grease, metal filling and dust
- Scarcely any impure ion and very weak corrosion on the equipment
- Apply to the degrease and cleaning of metal chemical conversion treatment

APPLICATION

- Appearance: Liquid
- pH: 12~14
- Treatment Temperature: 60~80°C
- Free alkalinity: 12-30 pt
- Solution concentration: 2.5~6.0%

Free alkalinity test method: Firstly, add 10ml aqueous into an Erlenmeyer flask. Then add 0.1~0.5ml phenolphthalein indicator. Using 0.1mol/L HCl standard solution to titrate it. While the solution changes from red to colorless. The consumption volume of 0.1mol/L HCl standard solution is the free alkalinity value.

PROCESS

Total alkalinity test method: Firstly, add 10ml aqueous into an Erlenmeyer flask. Then add 0.1~0.5ml bromophenol blue indicator. Using 0.1mol/L HCl standard solution to titrate it. While the solution changes from blue to bright yellow. The consumption volume of 0.1mol/L HCl standard solution is the total alkalinity value.

Note:

1. Add 0.19kg MC-DE5100B into 1000L water and the free alkalinity increases by 1.0 pt.
2. Please replace the solution while (total alkalinity value/free alkalinity value)>2.

APPLICATION

- Cast iron, hot rolled steel, cold rolled steel and aluminum alloy
- Other iron and steel products

NOTE

- MC-DE5100B is strong alkali liquid and wear the protective equipment while using it.
- The solution tank and the pump must be steel (304L or 316L)
- After the products are processed, don't make the products encounter the water

METAL SURFACE TREATMENT

SINOGRACE
The Chemical Company

**STORAGE
AND
HANDLING**

- Available in 200 kg/ barrel or 25 kg/ barrel
 - Storage period: 6~12 months in closed containers, shady and dry place
-

Anhui Sinograce Chemical Co., Ltd.
Tel: +86-0551-63459511
Email: sales@sinogracechem.com

Add.: Hefei city, Anhui province, China
Mob: +86 15855525589